

Prepared for:
EAST COAST NETWORK

599 ALBANY AVE, UNIT E
AMITYVILLE, NY USA 11701

CBD oil 2500MG

Batch ID or Lot Number:	Test: Potency	Reported: 09Feb2024	USDA License: N/A
Matrix: Concentrate	Test ID: T000300960	Started: 09Feb2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Jan2024	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.020	0.058	ND	ND	
Cannabichromenic Acid (CBCA)	0.018	0.053	ND	ND	
Cannabidiol (CBD)	0.047	0.157	8.330	83.30	
Cannabidiolic Acid (CBDA)	0.049	0.161	ND	ND	
Cannabidivarin (CBDV)	0.011	0.037	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.020	0.067	ND	ND	
Cannabigerol (CBG)	0.011	0.033	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.048	0.139	ND	ND	
Cannabinol (CBN)	0.015	0.043	ND	ND	
Cannabinolic Acid (CBNA)	0.032	0.095	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.057	0.165	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.052	0.150	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.046	0.133	ND	ND	
Tetrahydrocannabivarin (THCV)	0.010	0.030	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.040	0.117	ND	ND	
Total Cannabinoids			8.330	83.30	
Total Potential THC			0.000	0.00	
Total Potential CBD			8.330	83.30	

Final Approval



Sam Smith
09Feb2024
03:35:00 AM MST

PREPARED BY / DATE



Karen Winternheimer
09Feb2024
03:36:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/dfb20499-a070-4444-a3d1-082844986da1>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
dfb20499a070444a3d1082844986da1.1