

Prepared for:
CBD MAX

599 ALBANY AVENUE
AMITYVILLE, NY USA 11701

cbd muscle & joint

Batch ID or Lot Number:	Test: Potency	Reported: 09Feb2024	USDA License: N/A
Matrix: Concentrate	Test ID: T000300963	Started: 09Feb2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 31Jan2024	Status: N/A

Cannabinoids


	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.021	0.062	ND	ND	
Cannabichromenic Acid (CBCA)	0.020	0.056	ND	ND	
Cannabidiol (CBD)	0.050	0.162	1.360	13.60	
Cannabidiolic Acid (CBDA)	0.051	0.166	ND	ND	
Cannabidivarin (CBDV)	0.012	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.021	0.069	ND	ND	
Cannabigerol (CBG)	0.012	0.035	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.051	0.146	ND	ND	
Cannabinol (CBN)	0.016	0.046	ND	ND	
Cannabinolic Acid (CBNA)	0.035	0.100	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.061	0.174	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.055	0.158	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.049	0.140	ND	ND	
Tetrahydrocannabivarin (THCV)	0.011	0.032	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.043	0.123	ND	ND	
Total Cannabinoids			1.360	13.60	
Total Potential THC			ND	ND	
Total Potential CBD			1.360	13.60	

Final Approval



Karen Winternheimer
09Feb2024
02:16:00 PM MST

PREPARED BY / DATE



Sam Smith
09Feb2024
02:18:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/09e5876a-27b9-48b3-848c-17e1679159ea>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

09e5876a27b948b3848c17e1679159ea.1